



CERTIFICATE OF CONFORMITY

This is to certify that



Defender

Step and rung ladders, stairways, walkways, platforms and guardrailing

Product description

Defender stairways Drwg SM-001 Sheets 1 - 2 rev B
Defender Platforms Drwg SM-002 Sheets 1 - 2 rev A
Defender Guardrailing Drwg SM-003 Sheets 1 - 2 rev A
Defender Walkways Drwg SM-004 Sheets 1 - 3 rev A
Defender Ladders Drwg SM-005 Sheets 1 - 7 rev B

Product purpose or use

Step and rung ladders, stairways, and walkways for access to places normally used by operating, inspection, maintenance, and servicing personnel in buildings.

Certificate holder

Workplace Access & Safety Pty Ltd
ABN 42 116 835 407
9-11 Shearson Crescent,
Mentone, VIC, 3194,
www.workplaceaccess.com.au

Codemark Certification Body

SAI Global Certification Services Pty Limited
(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address: 680 George Street, Sydney, NSW 2000
Website: www.saiglobal.com

Complies with the Building Code of Australia (2016):

Volume One: DP2 and Deemed-to-Satisfy Provisions of and D1.16(b)(iii) & (iv), D1.17(b)(iii), D2.13, NSW D2.13(a)(ix), D2.16, NSW Table D2.16a, D2.17, D2.18, H1.6, and Tas H113.3(d)

Subject to the following conditions and limitations:

1. The installation of the Defender step and rung ladders, stairways, walkways, platforms and guardrailing is to be undertaken by Workplace Access & Safety or one of their trained contractors.
2. The installation of the Defender Step and rung ladders, stairways, walkways, platforms and guardrailing is to be in accordance with AS 1657 - Fixed platforms, walkways, stairways and ladders — Design, construction and installation, 2013 edition as appropriate.
3. The fixing of the step and rung ladders, stairways, walkways, platforms and guardrailing to the building structure is outside the scope of this assessment. It is the responsibility of others to ensure the structural adequacy of the support building structure and fixing for each ladder installation.
4. The choice of ladder, stairway, walkway, platforms and guardrailing to be selected and used is to be within the load ratings applicable to the occupancy and expected use and is also appropriate for the location within the building.

Nicole Grantham – General Manager
SAI Global Certification Services

Paul Bailey
Unrestricted Building Certifier

22/05/2017
Date of issue

29/7/2019
Date of expiry

CM20080
Certificate Number



WWW.JAS-ANZ.ORG/REGISTER

• This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms to the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate

• It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.